

# SmartWeigh Form Guide

## Personal Information

Fill out all the fields provided. Required is your name and SKP# (If Escapees member).

### **PERSONAL CONTACT INFORMATION** (print clearly)

---

Name

---

Address

---

---

Telephone

SKP#

---

E-Mail

---

# SmartWeigh Form Guide

## Tire Information (All Vehicles and Trailers)

All information is found on the tires. The information may not be in the exact location found in the image. The Age Code should be read and entered from each tire. The Age Code is usually listed on one side of the tire, which may require you to find it on the other side. Verify the information on each tire, as sometimes the tires are not the same. The tire pressure should be listed at what you usually keep the tires. If you don't know, check each tire's tire pressure, and write that on the form for each tire.

### VEHICLE TIRE INFORMATION

	Position	Brand	Model	Size	Load Range	Normal Pressure	DOT Age code
TOW TRUCK TIRES	L Front						
	R Front						
	L Rear Out						
	L Rear In*						
	R Rear Out						
	R Rear In*						



4 digit code  
It may be on  
other side of  
tire



# SmartWeigh Form Guide

## Motorhome/Van/Bus Information

Use the diagram to fill out the information from the placard. If you have a tag axle, the tag information will be on the placard listed similarly to the REAR GAWR.

MOTORHOME INFORMATION			
Motorhome type <input type="checkbox"/> A <input type="checkbox"/> B <input type="checkbox"/> C <input type="checkbox"/> Bus <input type="checkbox"/> Other _____			
Make		Model	
Year		Length	
GVWR		GCWR	
GAWR Front		GAWR Rear	
GAWR tag*			

**Owner Manual or Website**

**If present, will be on placard**

DATE:		GVWR:	8165 KG (18000 LB)
FRONT GAWR:	3175 KG (7000 LB)	REAR GAWR:	5443 KG (12000 LB)
	245/70R19.5G 133/132L	WITH TIRES	245/70R19.5G 133/132L
	19.5X6.75	RIMS	19.5X6.75
AT	565 kPa/ 82 PSI COLD	AT	565 kPa/ 82 PSI COLD

**Class A/Bus:**  
Placard found behind Driver seat on wall

**Class B/C:**  
Placard found on driver door

# SmartWeigh Form Guide

## Truck/Tow Vehicle Information

Use the diagram to fill out the information from the placard.

**Owner Manual or Website**

TOW VEHICLE INFORMATION			
Make		Year	Model
GVWR		GCWR	GAWR Front
			GAWR Rear

**Placard is found on driver door**

MFD BY GENERAL MOTORS CORP. 03/02

GVWR 2767KG (6100LB) GAWR FRT 1429KG (3150LB) GAWR RR 1672KG (3686LB)

THIS VEHICLE CONFORMS TO ALL APPLICABLE U.S. FEDERAL MOTOR VEHICLE SAFETY STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE.

TYPE: TRUCK

MODEL: [ ]

CPDM	TIRE SIZE	SPEED RTG	RIM	COLD TIRE PRESSURE
FRT	P235/75R16	S	16X6.5J	190KPA(28PSI)
RR	P235/75R16	S	16X6.5J	240KPA(35PSI)
SPA	P235/75R16	S	16X6.5J	240KPA(35PSI)

SEE OWNER'S MANUAL FOR MORE INFORMATION. F 494 T 1441



# SmartWeigh Form Guide

## Trailer Information

Use the diagram to fill out the information from the placard. If your GAWR for the axles are listed separately, fill each as listed on the placard.

**TRAILER INFO**

Make		Year	
Type	<input type="checkbox"/> 5th Wheel <input type="checkbox"/> Bumper Pull		
GVWR		GAWR Front	
		GAWR Rear	
		GAWR Center*	

**TIRE AND LOADING INFORMATION**

The weight of cargo should never exceed  
632 kg or 1,393 lbs

TIRE	SIZE	COLD TIRE	PRESSURE	SEE OWNER'S MANUAL FOR ADDITIONAL INFORMATION
FRONT	225/75R15	448 KPA	65 PSI	
REAR	225/75R15	448 KPA	65 PSI	
SPARE	225/75R15	448 KPA	65 PSI	

**MANUFACTURED BY: WINNEBAGO OF INDIANA, LLC**    **DATE:**

**CA. I.D. #99-2291**

**GVWR**  
3,992 KG ( 8800 LBS )

**GAWR ALL**  
1,996 KG ( 4400 LBS ) PER AXLE WITH 225/75R15 TIRE 15X6 RIM  
AT 448 KPA ( 65 PSI ) COLD SINGLE

THIS VEHICLE CONFORMS TO ALL APPLICABLE US FEDERAL  
MOTOR VEHICLE SAFETY STANDARDS IN EFFECT ON THE  
DATE OF MANUFACTURE SHOWN ABOVE.

VIN:     TYPE: TRAILER    MODEL: 28DDBH

RPT 4254-1 07/22/15 10:58

**Placard is found on driver side near front of trailer**

**If listed separate, enter as it shows on placard**